

DAYDROP



FIRST OPHTHALMIC SOLUTION WITH SUSTAINED RELEASE OF ECTOINE

Synergistic action of hyaluronic acid and carboxymethylcellulose, **increases the retention time** of the drop on the ocular surface.

This allows for **sustained release of ectoine**.



ECTOINE 2%

- + Natural anti-inflammatory. [2]
- + Tear film protection. [3]
- + Protection and stabilization of mucous membranes. [4]


CARBOXYMETHYLCELLULOSE (CMC) 0,15%

- + Beneficial effects for dry eye syndrome. [8]
- + Accelerates recovery of the ocular surface. [9]
- + Lubrication of epithelial cells providing long-term relief. [10]

HYALURONIC ACID (HA) 0,1%

- + Restores the stability of the tear film. [5]
- + Hydration thanks to its moisturizing properties. [6]
- + Improves healing of corneal epithelial cells. [7]

ACTION x3



Advanced unique **triple action** formula with **Ectoine, Hyaluronic Acid, and Carboxymethylcellulose**, covers all needs related to dry eye

Combats dry eyes.

Relieves eye irritation.

Protects against external factors.

Sustained release of Ectoine.



2 times a day or as many times as indicated by your medical specialist



Compatible with contact lenses



Without preservatives or phosphates



Backed by clinical trial



single-dose and multi-dose



European Product



CE marked product



MDR Certified

[1] Vicente-Herrero M T, de la Torre MRI, Terradillos-García M.J., González Á L. Síndrome del ojo seco. Factores de riesgo laboral, valoración y prevención. SEMERGEN-Medicina de Familia. 2014; 40(2): 97-103.

[2] Dwivedi M, Brinkkötter M, Harishchandra RK, Galla HJ. Biophysical investigations of the structure and function of the tear fluid lipid layers and the effect of ectoine. Part B: artificial lipid films. Biochim Biophys Acta. 2014;1838(10):2714-27.

[3] Dwivedi M, Brinkkötter M, Harishchandra RK, Galla HJ. Biophysical investigations of the structure and function of the tear fluid lipid layers and the effect of ectoine. Part A: artificial lipid films. Biochim Biophys Acta. 2014;1838(10):2714-27.

[4] Blüstein A, Heinrich A, Rybachuk A, Mösges R. Ectoine in the Treatment of Irritations and Inflammations of the Eye Surface. Biomed Res Int. 2021; 2021:9885532.

[5] Johnson ME, Murphy PJ, Boutton M. Effectiveness of sodium hyaluronate eyedrops in the treatment of dry eye. Graefes Arch Clin Exp Ophthalmol. 2006;24(11):109-12.

[6] You IC, Li Y, Jin R, Ahn M, Choi W, Yoon KC. Comparison of 0.1%, 0.18%, and 0.3% Hyaluronic Acid Eye Drops in the Treatment of Experimental Dry Eye. J Ocul Pharmacol Ther. 2018;34(8):557-564.

[7] Inoue M, Katsumi C. The effect of hyaluronic acid on corneal epithelial cell proliferation. Invest Ophthalmol Vis Sci. 1992;34(7):2313-5.

[8] Bruix A, Adán A, Casaroli-Marano RP. Efficacy of sodium carboxymethylcellulose in the treatment of dry eye syndrome. Arch Soc Esp Otolalol. 2006; 8(12): 85-92.

[9] Lenton LM, Albrecht JM. Effect of carmellose-based artificial tears on the ocular surface in eyes after laser in situ keratomileusis. J Refract Surg. 1999;15(2 Suppl):S227-31.

[10] Garrett O, Simmons PA, Xu S, Vehige J, Zhao Z, Ehrmann K, Willcox M. Carboxymethylcellulose binds to human corneal epithelial cells and is a modulator of corneal epithelial wound healing. Invest Ophthalmol Vis Sci. 2007;48(4):1559-67.